


## 99 Problems



**Legend:** ‘(\*)’ harder; ‘(\*\*)’ even harder.

### 1 Some algebra

1. Assuming  $h \neq 0$ , what is  $\frac{f(x+h)-f(x)}{h}$  where  $f(x) = (x+1)^2$ ? Simplify.
2. Find the domain of the function

$$f(x) = \frac{\sqrt{x+2} + \log_2(5-x)}{x}.$$

3. (\*) Consider the function  $f(x) = \ln(x + \sqrt{1+x^2})$ . Find the domain of  $f$ . Determine the parity of this function, i.e. is it odd, even, or neither?
4. What is the equation of the secant line joining the points of the graph  $f(x) = 2^x$  whose  $x$ -coordinates are respectively 1 and 2?
5. Find the point(s) of intersection of the hyperbolas  $x^2 + 3xy = 54$  and  $xy + 4y^2 = 115$ .

### 2 Limits

**Finding the limit at a real value without using l'Hôpital's rule**

6.  $\lim_{x \rightarrow 3} x^2 - 7x + 12 + \sqrt{x^2 - 5} =$

7.  $\lim_{x \rightarrow 2} \frac{x^2 - 4x + 4}{x^2 - 5x + 6} =$

8.  $\lim_{x \rightarrow 4} \frac{3 - \sqrt{x+5}}{x-4} =$

9.  $\lim_{x \rightarrow 0} \frac{x^4 + 5x - 3}{2 - \sqrt{x^2 + 4}} =$

10.  $\lim_{x \rightarrow 1} \frac{x^3 - 1}{(x-1)^2} =$

11. (\*)  $\lim_{x \rightarrow 0} x^4 \cos(2/x)$

### Limits of trigonometric type

$$12. \lim_{x \rightarrow 0} \frac{\sin^2 5x}{2x \tan 3x} =$$

$$13. \lim_{x \rightarrow 0} \frac{\cos 2x - 1}{\cos x - 1} =$$

### Limits at infinity

$$14. \lim_{x \rightarrow -\infty} \frac{7}{x^3 - 4} =$$

$$18. \lim_{x \rightarrow -\infty} \frac{7x^2 - x + 11}{4 - x} =$$

$$15. \lim_{x \rightarrow \infty} \frac{10}{x^2 + 10} =$$

$$19. \lim_{x \rightarrow \infty} \frac{x + 3}{\sqrt{9x^2 - 5x}} =$$

$$16. \lim_{x \rightarrow \infty} \frac{7x^2 + x - 100}{2x^2 - 5x} =$$

$$17. \lim_{x \rightarrow \infty} x - \sqrt{x^2 + 7} =$$

$$20. (*) \lim_{x \rightarrow \infty} \left( \frac{x-2}{x-1} \right)^x =$$

### One sided limits

$$21. \lim_{x \rightarrow 3^+} \frac{x^2 + 3x}{9 - x^2} =$$

$$22. \lim_{x \rightarrow 3^-} \frac{x^2 - 3x}{x^2 - 9} =$$

## 3 Asymptotes

23. The line  $y = mx + p$ , with  $m \neq 0$  is an **oblique asymptote** (or **slant asymptote**) of  $f(x)$  iff  $\lim_{x \rightarrow \infty} \frac{f(x)}{x} = m$  and  $\lim_{x \rightarrow \infty} f(x) - mx = p$ . Show that  $f(x) = \sqrt{x^2 - 4x}$  has an oblique asymptote at  $\infty$  and a different one at  $-\infty$ .
24. (\*) Show that if  $f(x)$  is a rational function then  $f(x)$  has an oblique asymptote iff the degree of the numerator is exactly one more than the degree of the denominator. [hint: how can you write  $f(x)$  after performing polynomial division?]. Find the oblique asymptote(s) of  $f(x) = \frac{x^2 - 6x + 1}{x - 2}$  using (a) the above definition and (b) using long division.
25. (\*) Can a rational function have two distinct oblique asymptotes?

**Find all asymptotes (vertical, horizontal and/or oblique) of the following functions**

26.  $e(x) = \frac{x^2 - 4x}{2x + 1}$

28.  $h(x) = \frac{x^4 + 1}{x^2 - 1}$

27.  $f(x) = \frac{2x + 1}{3x + 2}$

29.  $i(x) = \frac{x^3}{x^2 + 1}$

30.  $j(x) = 2x - \sqrt{4x^2 + 4}$

31. Find all the asymptotes (if any) to the function  $f(x) = \frac{x^2 - 1}{x|x + 1|}$

32. (\*) Consider the function  $f(x) = ax - \sqrt{bx^2 - 1}$  where  $b \geq 0$ . For which value(s) of  $a$  and  $b$  does this function have an oblique asymptote of slope 5 at  $-\infty$  and of slope 1 at  $+\infty$ ?

## 4 Derivatives

33. Using the limit definition, compute  $f'(3)$  where  $f(x) = x^2 + \frac{2}{x}$

**Compute the derivatives of the following functions:**

34.  $f(x) = 4x^5 - 5x^4$

38.  $j(x) = (\arctan(2x))^{10}$

35.  $g(x) = 3x^2(x^3 + 1)^7$

39.  $k(x) = x^7(x^2 - x)^8 \sin^4(x^2)e^{4x}$

36.  $h(x) = \frac{(3x - 1)^2}{x^2 + 2x}$

40.  $l(x) = \arcsin(2^{\sin x})$

37.  $i(x) = \frac{x}{\sqrt{1 - \ln^2(x)}}$

41.  $m(x) = \log_5(3x^2 + x)$

42.  $n(x) = \frac{3 \sin(x) + 2}{4 \sin(x) + 3}$

43. Determine the following limit quickly:  $\lim_{x \rightarrow 2} \frac{\sqrt{x^2 + 5} - 3}{x - 2}$ .

44. Find  $f'(\frac{3\pi}{2})$  where  $f(x) = (\cos x + 1)^x$ .

45. If  $f(2) = 3$ ,  $g(2) = 4$ ,  $g(3) = 2$ ,  $f'(2) = 5$  and  $g'(3) = 2$  find

$$\left( \frac{f(g(x)) + x}{f^2(2x - 4)} \right)'$$

at  $x = 3$ .

46. Find  $\frac{dy}{dx}$  where  $y$  is a differentiable function satisfying  $\frac{\sin y}{y^2 + 1} = 3x$ .

## 5 Tangents

47. Find the point of intersection of the lines tangent to the graph of  $f(x) = x \sin(x)$  at  $x = \frac{\pi}{2}$  and  $x = \pi$ .
48. Find the tangent(s) to the graph of  $f(x) = x^2 - 2x + 1$  passing through the point  $(4, 1)$ .
49. Find the equation of the line tangent at  $(1, 1)$  to the graph of the function

$$y^4 + xy = x^3 - x + 2.$$

50. (\*) (Legendre Transform) Consider a smooth convex function  $f(x)$ . Pick a slope  $m$  and let  $f^*(m)$  be the y-intercept of the tangent to the graph of  $f(x)$  whose slope is  $m$ . Find the function  $f^*(m)$  where  $f(x) = x^2 - 2x$ .

## 6 Extrema & concavity

51. The function  $f(x) = a \ln x - a^3 x$  has a local minimum at  $x = 4$  for  $a \neq 0$ . What is  $a$ ?
52. Over which interval is  $f(x) = x^3 - 6x^2 + 3x$  (a) concave up? (b) decreasing?

## 7 Study of functions

**Study the following functions. I.e. find the (1) domain, (2) asymptotes and/or discontinuities, study the (3) growth and (4) concavity; locate (5) all extrema and inflection points; (6) find the roots and (7) sketch the graph**

53.  $x^3 - 3x^2$

60.  $3(\sqrt{x^2 - 1} - x)$

54.  $x^4 - 2x^3$

61.  $\frac{1}{x} - \frac{1}{x(1-x)}$

55.  $\frac{3x+4}{2x+3}$

62.  $\frac{|x-2|}{x-3}$

56.  $\frac{x^3}{x^2-4}$

63.  $\frac{|x-2|}{x} - 3$

57.  $\frac{x(x-3)^2}{(x-2)^2}$

58.  $\sqrt{1-x^2}$

64. (\*)  $3x^{\frac{2}{3}} - 2x$

59.  $\sqrt{x^2-1}$

65.  $\sin(2x) - 2x$

66. (\*) Consider the function  $f(x) = \frac{1}{x^2 - 3x + 2}$ . Study and sketch the function. Using the previous graph, plot (a)  $\phi(x) = e^{f(x)}$  and, (b)  $\psi(x) = f(|x|)$ .

## 8 Varia

67. Give a lower bound on the number of roots of  $f(x) = \cos(\pi x)/x$  on the interval  $[1, 3]$ . [hint: Intermediate value theorem]
68. Suppose that a function  $f(x)$  has a maximum at  $x = 3$ . True or False? Justify.
- The function  $f^2(x)$  has a maximum at 3.
  - The function  $e^{f(x)}$  has a maximum at 3.
  - The function  $f(x - 3)$  has a maximum at 0.
69. Without a calculator estimate  $\sin^2(.99\frac{\pi}{4})$ .
70. If  $-1 \leq f'(x) \leq 3$  for all  $x$  in  $[1, 4]$  and  $f(2) = 4$ , find the maximal and minimal possible values of  $f(4)$ .
71. (\*\*) Suppose that  $f : [0, 1] \rightarrow [0, 1]$  is a continuous function. Prove that  $f$  has a fixed point in  $[0, 1]$ , i.e., there is at least one real number  $x$  in  $[0, 1]$  such that  $f(x) = x$ .
72. (\*\*) Suppose that  $g$  is a continuous function on  $[0, 2]$  satisfying  $f(0) = f(2)$ . Show that there is at least one real number  $x$  in  $[1, 2]$  with  $f(x) = f(x - 1)$ .
73. Suppose that  $\sum_{i=1}^{10} a_i = 100$  compute  $\sum_{i=1}^{10} (2a_i + 3 - i)$ .

## 9 Related Rates

74. A  $10ft$  ladder is leaning against the wall. How fast is the bottom of the ladder sliding when the top part is  $3ft$  above the ground and gliding at a rate of  $1ft$  per second.
75. A conical cup has a diameter of  $4cm$  and a height of  $8cm$ . How fast is the level dropping when the height is  $4cm$  and the water escapes from the bottom at a rate of  $1cm^3$

## 10 Optimization

76. Find the maximal area of rectangle whose sides are parallel to the coordinate axes and whose vertices lie on the curve of equation  $x^2 + y^4 = 1$ .
77. We have  $12 m^2$  of material to make a box whose bottom is square and sides are rectangular (the box has no top). What is the maximal volume that such a box can have?

## 11 Integration

78. Using 4 rectangles and the right endpoint method estimate  $\int_0^{12} \frac{2}{x+2} dx$ .
79. Compute the area under the graph of  $g(x) = x + 3x^3 - \sin(2x) + xe^{x^2} + x^2$  over the interval  $[-3, 3]$ .

**Compute the following integrals**

80.  $\int_0^1 x e^{-x^2} dx$

85.  $\int x 5^{2x} dx$

81.  $\int (\sin x + \cos x)^2 dx$

86. (\*)  $\int_0^1 \frac{x}{\sqrt{x+1}} dx$

82.  $\int_0^1 \frac{x^4 - 3x^2}{x^2} dx$

87. (\*)  $\int \frac{1}{1+e^x} dx$

83.  $\int_{-2}^3 |x-1| dx$

88. (\*\*)  $\int \frac{1}{1+\sin^2(x)} dx$


84.  $\int \frac{x^3}{x^2 + \pi} dx$

89. Compute the area of the region between the parabolas  $y = 2x^2 - 2$  and  $y = x^2 + x$ .90. Compute the area of the region bound by  $y = x^3 + x$ ,  $y = x^3$ ,  $x = -2$  and  $x = 1$ .

## 12 Fundamental Theorem of Calculus

91. Find  $f'(x)$  where  $f(x) = \int_x^{x^2} \frac{\sin t}{t} dt$ .

## 13 Graph analysis

Figure 1: Graph of  $f(x)$  used for the graph-analysis questions.

Based on the above picture representing the graph of  $f(x)$ , answer the following questions.

92.  $\lim_{x \rightarrow 1^+} f(x) =$

96.  $\int_{-1}^3 f(x) dx$

93.  $\lim_{x \rightarrow 3} f(x) =$

97.  $F'(4) =$  where  $F(x) = \int_0^x f(t) dt$

94. (\*)  $\lim_{x \rightarrow -2^+} f(-x) =$

98. Sketch  $f'(x)$

95.  $f'(\frac{3}{2}) =$

99. Sketch  $F(x) = \int_1^x f(t) dt$

**End of Problems**